

## **Themes Placenta Hip**

Notes from trituration completed by mother and daughter (age 3 years).  
7 steps of trituration were completed from C1-7.  
Proving notes summarized below.

### **Mother - Child Connection**

Very strong connection between mother and child

Child sleeps with the mother throughout early childhood

Child is breastfed into early childhood (3-5 years) and demands the 'milk', even screaming in the night or when outside the home for milk.

Mother finds it hard to set boundaries for the child as the child screams and tantrums. Initially tolerant followed by authoritarian behaviour 'I've had enough!'

Child often reverts to babyish behaviour - baby-language, additional day sleeping, has diarrhea like fully breast fed baby's stool.

Mother finds it difficult to reconnect with father as the child wants to be in the marital bed, frequently breast feeds.

Desires to have another baby

Cuts herself off from pregnant sister who is not open to advice (C7)

Dreams of children and baking (C1)

Dreams of sitting a very long mothering test which included going outside (C1)

at one point when outside looked up the answer.

Reflects on lack of closeness with her mother who was separated from her at birth for two weeks. She was fed with breast milk by her father who visited every day. (C6)

### **Feeling Cut Off from the outside World**

Had a powercut and was unable to contact anyone, flat tyre so was unable to go out, felt 'cut off'. (C5)

Daughter is very much in her own world, have to get close or touch her before she realised I am talking to her; doesn't listen to me, doesn't want to get dressed at all. (C5)

Desire to withdraw - immersing myself in another world  
Cut off from everyone

Felt like withdrawing, not wanting to see or talk to anyone, just sit in one spot, fell asleep sitting on couch in afternoon. (C1)

## **Birth**

Homeopath has sensation on waking that she is in utero, in a very fluid environment dark and warm, then she starts on a journey through the birth canal, feels the pulsation of the contractions and was born easily. Everything felt very watery.

Mother had a conversation with Daughter about her birth experience. She said it was dark inside and took a long time to be born. It wasn't sore, nothing hurt. She didn't want to be born and wanted to stay inside. (Child was two weeks overdue). Then she struggled to get to the breast (pointing to the left breast). She wants to go back inside when she is bigger.

Mother asked if there was room inside a long time before she was born and she responded that there was lots of room and she began to move from side to side. (C4)

## **Opinions opposed**

Very big argument with partner - he acts 'like a cornered wild animal', aversion to talking or touch and he attacks me by being strongly opposed to all my beliefs. (C5)

Powerless feeling - 'may as well not start'  
Not respected by family  
Strongly opposed by husband  
Losing control  
Aggressive Outbursts  
Impatient (C4)

Anger - quarrelling with husband who opposes her views

## Aggressiveness

Aggressive toward the dog - head butting and hitting (C2)

## Non-alignment of Hip, Knee, Ankle

Left knee sore

Left Hip pain through the groin < sitting  
rigid feeling so can hardly walk (C1-3)

After C4 - hip pain gone, joint clicking on walking, > after walking,  
two days after C4 she is seen by a McTimony chiropractor who said the  
spine was all over the place, right jaw out, but pelvis was perfect. After  
treatment feels 'very tall and light' (C4)

Left sacrum sore,

Sacrum sore, right and left

Feeling as if 'can't move'

Feeling of 'lead-heaviness'

Walking on tips of toes

Osteoarthritis in the maternal line

Osteoporosis in the maternal line

Tuberculosis (paternal grandmother)

rheumatoid arthritis (daughter of grandmother/aunt)

asthma (paternal great great grandfather)

## Awkwardness

Clumsiness - spilling milk, falling down, stumbling (C2)

## Memory

Forgetfulness -

Arrived 1 hr late to appointment

## Obstinacy

Obstinacy and feeling have to run away from this stubbornness

## Chest

Asthma (C2)

Difficult to breath, heavy chest

Coughing fits,

Tight chest, *heavy chest*

Shallow breathing

Ribcage tight

Smelly belly button

I have had a bit of chest tightness and pain - not had rib stuff - more left sided. A tight feeling. The tightness in the chest has become more.

## Head

Headache, left front

## Back pain

Soreness in right shoulder blade (C3)

Numbness from right shoulder blade to right breast (C3)

Tension up back between shoulder blades

Right sore collarbone

Pressure on head with tension up the back

## Vertigo

Light-headed, pressure on head.

## Stomach

Feeling queasy.

Vomiting,

Nausea < late afternoon, evening

## Ears

Pressure on both ears, whooshing noise in both ears

Ears have been gunky esp left one - almost rusty colour

## Extremities

Tingling in both elbows and lower front arms, < right (C3)

Tingling neck, hands and arms, legs, (C3)

Kidneys sore and tightening, < left (C3)

## Heart

Heart racing,

## Throat

Lumps sensation in throat

## Generalities

Exhausted to the bone (C1)  
Feeling of heaviness, lead (C3)  
Shivering through upper body when scraping (C3)

### Water

Desires to play with water, completely immersed in water except for face (C7)

**Foods** - desire MILK, desires Sweet

**Female** - vaginal cyst between inner and outer labia on left side, clotted blood which bleeds. Doctor cauterised it and it filled again.

**Face** - Pimples on face

**Fever** - raised temperature,

### C1

**Daughter** - reversing to 'baby-language' "all babies drink from bottles" (I expressed milk in the first week); very tired, runny poo, almost like baby's milkpoo in consistency; really wound up, very very strong will, no co-operation.

woke up wanting to drink milk lying across my chest like we did when she was a baby saying "babies always struggle to drink milk"

daughter starting her cold, raised temperature

**Mother** - cyst between inner and outer vaginal lips on left side, blood clot, when I pushed it open, blood just streamed out. Doctor cauterized it, blood blister filled again;

lots of pimples in face, smelly icky bellybutton

pain in upper left arm (same place as other prover felt during C1), no pain in hips during C1 process, but sore hips again back in the car at night

High tolerance/acceptance for daughter's need to be autonomous (running and exploring in supermarket, I didn't chase her but waited for her to get back to the checkout eventually; then waited again for her in the car to get into her car seat (all together took approx. 1 hour), but then got very impatient (and hungry), I 'had enough' at 5pm and

onwards, getting very angry → directed at my parent's (authoritarian) behaviour

sore sacrum ( left side) for a short while; 10pm more blood from cyst has filled up again

Spotting from cyst throughout day. Morning really energetic, dropping rapidly at lunchtime – very sore, getting worse in the afternoon, rigid feeling, could hardly walk.

My body is feeling sore – hips and sacrum around lower back. Sore throat and runny nose.

Lots of dreams around *children and baking* (that actually happened during the day, but in a different setting);

dreamed of *sitting a mothering (La Leche?) test which had to finish after 30 minutes. I had to leave to do something with family(at the end of a road with a big (lilac) farmhouse, then I raced back to the test (and looked up one answer on the way back) and finished my test.* Setting: dining tables – the women taking the test were offered drinks (drawing numbers like in a cafe). I finished after 45 minutes which was accepted (?!). I sat amongst Asian students who didn't seem to have children...

Thoughts during the day:

As a child exactly every 3 months I would have bursts of 'temper', my mum kept saying she could set the diary after it.

My mother often gets coughing 'fits' when eating/drinking and things go down the wrong way. I have this cough sometimes when I am stressed. Used to be much stronger in my early twenties (had a lung infection then as well – work stress related)

I fell asleep sitting on the couch in the afternoon. Felt 'exhausted to the bone', can't face doing anything.

Felt like withdrawing, not wanting to see or talk to anyone, just sit in one spot, fell asleep sitting on couch in afternoon.

Feeling of withdrawing very strong – must have had this feeling before.

Have been reading a lot since daughter is born 'immersing myself in

another world'

Feeling exhausted and sore around hips/pelvis, can't do chores.

Sore everywhere;

Sore sacrum on both sides; cyst stopped spotting  
Losing it completely, in so much pain, just reacting, can't move, painful  
allover, lead-heavy. Huge row with partner

Sore sacrum on left side only; very tearful; mist/veil lifting

Very forgetful (left front door unlocked, didn't set alarm), went to a  
regular appointment an hour too late; very clumsy, diarrhea,

sore left knee

## C2

**Daughter** - sore in left hips/pelvis, the pain goes to the other side (of the  
pelvis) and to her head/right ear, happy, shy quiet, singing, drinking milk,  
jiggling legs, relaxed, aggressive towards dog – head butting, hitting,  
reverting to baby-speak, happy singing and painting  
Raised temperature, woke up 3x at night, drinking lots of breast milk day  
and night  
clumsy – falling down, stumbling ( yesterday as well), slight temperature,

**Mother** – chest tightens, shallow breathing only, shoulders tense, eyes  
getting heavy, tired, light-headed, sore left hip, hard to breathe, lump in  
my throat, catch myself trying to consciously relax, drop shoulders, right  
hand tingling, losing control – spilling water glass, milk is boiling over,  
feeling powerless, really sore left hip and knee, resonating pain, pain  
behind left ear(at base), really trying to stay calm – heavy chest,

annoyed that C2 process is not smooth – too many interruptions – stop  
and go – no control.

Left boob sore

Really lightheaded, pressure on head, tension up the back.

Right arm sore, getting impatient – just want to finish,

Feeling anger for not getting to finish what I start – powerless (feeling of

' might as well not start'). Sore between shoulder blades, left ankle sore (inside leg)

Throwing up twice; have been feeling queasy for a few days (always late afternoon/evening)

Dream - *an acquaintance had a stillborn baby*

sore right collarbone  
so clumsy, queasy

### C3 Mother

Chest starts tightening again straight away, heavy chest  
Light headedness; procrastination? (I have that feeling often)  
sore right shoulder blade,  
pain left hip,  
tummy; queasy  
pressure on both ears, whooshing noise in both ears,  
Tingling in both elbows and lower front arms;  
shiver goes through my whole upper body during scraping  
numb pain from right shoulder blade through to right boob; tingling right hand  
whole body becomes heavy/lead;  
shivering again at all upcoming scraping intervals;  
left kidney sore and tightening, tingling neck, tingling hands and arms,  
heart racing, ribcage tight,  
headache – left front  
legs tingling as well; lump in throat, heavy chest again; pressure on right ear, tingling all over;

### C4 - Mother

chest tightening, funny tummy  
feeling of pressure in tummy, chest and bowel  
Pressure at top of abdomen and right side  
Body shivering,  
Soreness in right breast and inside upper right arm  
Tingling arms and throat  
Warmth in left upper thigh, muscular inflammation  
Warmth in lower abdomen  
**Left foot and inner ankle sore, right heel sore, left wrist**  
Soreness on right ear and muscle on right side of throat



After C4 - hip pain gone, joint clicking on walking, > after walking, two days after C4 she is seen by a McTimony chiropractor who said the spine was all over the place, right jaw out, but pelvis was perfect. After treatment feels 'very tall and light'

Period started,  
Breast pain after nursing

## Daughter

Red round cheek in child,  
Diarrhea,  
Ear pain, first right, then left, > after Belladonna  
Ear pain > sitting upright  
Hearing is less after the ear pain has gone.  
Desires sweets,  
Nose running.  
Growth spurt in child  
Frustration  
Ear infections on both sides, paleness of face in morning, then hot red face  
Appetite lost, only eats bread and fruit  
Wanting lots of breast milk

## Day after C4

Homeopath has sensation on waking that she is in utero, in a very fluid environment dark and warm, then she starts on a journey through the birth canal, feels the pulsation of the contractions and was born easily. Everything felt very watery.

Mother had a conversation with Daughter about her birth experience. She said it was dark inside and took a long time to be born. It wasn't sore, nothing hurt. She didn't want to be born and wanted to stay inside. (Child was two weeks overdue). Then she struggled to get to the breast (pointing to the left breast). She wants to go back inside when she is bigger.

Mother asked if there was room inside a long time before she was born and she responded that there was lots of room and she began to move from side to side.

## C5

**Daughter** - 'I have sore ears, blocked nose, no milk in boobs and I grew a baby' still wanting sugar and breast milk, and has started a chesty cough.

**Mother** - Feeling light at first, tightness deep in chest, between shoulder blades, shivering in upper body as soon as scraping. Left knee and groin sore.

Funny tummy with diarrhoea, pain in knee and groin aggravated.  
Daughter had sore tummy which improved when she scraped.

Very big argument with partner - he acts 'like a cornered wild animal', aversion to talking or touch and he attacks me by being strongly opposed to all my beliefs.

Had a powercut and was unable to contact anyone, flat tyre so was unable to go out, felt 'cut off'.

## C6

### **Mother**

Sore left groin and shin  
becomes aware she is trying to please again to make relationship work.

Reflects on lack of closeness with her mother who was separated from her at birth for two weeks. She was fed with breast milk by her father who visited every day.

Lump in throat,  
feeling tearful  
sore groin  
heavy chest,  
hard to breathe

Decides to make more an effort with her appearance,  
Thought is 'running away' from an insolvable situation, where both partners and child are very stubborn.

After C6 had feeling of lump in throat and had to consciously bring back feeling of inner peace. Positive resolve with husband.  
Dreamt of a *task to be accomplished*.  
Tightness in front and back of lower abdomen.

C7

Mother

Lots of baby thoughts and that I would like to have another baby. Sister is due to have baby but I have distanced myself as she is not open to my advice.

itchy skin at right wrist - observed usual dermatitis has not been present

Reflection - being free and carefree when travelling,

Very cold,  
right ear sore,  
bowels sore  
left upper leg sore  
very sore right calf muscle  
lump in throat  
left ear sore  
Sore between shoulder blades  
left knee and calf muscle sore  
sore kidneys  
left wrist sore

Anger at overseas family about their disrespectful treatment of me and my daughter

After C7 - very very angry at daughter for not listening, could 'kill' her with rage

Daughter is very much in her own world, have to get close or touch her before she realised I am talking to her; doesn't listen to me, doesn't want to get dressed at all.

Becomes panicked if mother says she will leave, then wants cuddles, breast milk

wants to sleep without nappies or undies

diarrhea, with strong tummy cramps

Feeling very very angry at not being listened to, becomes great sadness, feels being 'sucked empty' and not getting anything in return, being head-butted, kicked.

Daughter

comforts mum when she is crying. She wants to play in lots of water, completely immersed in water except for face. Only responding to mother when physically touched. Huge diarrhea.

### Followup

Mother took C200/6 as still experiencing lump in throat like dried phelgm, heavy chest, difficulty breathing, itching haemorrhoids. Lump went after a few days but returned when started menstruating. Very sore body. Husband is back to normal. Daughter needs less sugar, listens and cooperates better.

### Case

6/5/20 DC

rolled ankle and cracked bone - malleolus ankle anterior and lateral

tested for **Placenta Hip 200/4 weekly for 12 weeks**

felt out of it when going to ED and trying to contain it, not really aware of what was around me and going on

Also tested for Green Mussel 10X at night for 12 weeks.